Pickaway County Public Health 110 Island Rd., Suite C, Circleville, OH 43113

110 Island Rd., Suite C, Circleville, OH 43113 Phone 740-477-9667 | Fax 740-474-5523 | Clinical Health Fax 740-420-6102



SEWAGE AND WATER EVALUATION REQUEST FORM

For the purpose of a real estate transaction, I hereby request the following services from the Pickaway County General Health District: Call 740-477-9667 ext. 225 for fees for Inspections. Sewage System Evaluation - Dye test conducted at PCGHD's discretion.				
				Water System Evaluation - (Includes (samples will be an additional cost, including fowater samples.
The fee(s) is NOT refundable once the Sanitari or are due within 30 days, whichever occurs so		fee(s) can be adde	ed to the closing cost	
Address to be inspected:	City:	Zip:	Twp:	
Is home vacant? If yes, How long? _	Original Owner:			
Seller's Name:	Phone:			
Seller's Email:				
Real Estate Agency:		Phone:		
Agent/Buyer:		Phone:		
Agent/Buyers Email Address:				
Address where report will be sent:				
I understand that this written request must WORKING DAYS IN ADVANCE of the date of water systems and sewage systems app. The inspections do <u>not</u> guarantee the future furthermore, the Board of Health will issue system is found to be creating a nuisance	e desired. Evaluations by the Picloly only to the date and time that are performance of the water sup e orders for the system repairs o	kaway County Ge the inspections oply or sewage d or replacement w	neral Health District were conducted. isposal system.	
Water system evaluations are conducted of necessary for the Sanitarian to enter the houser, or agent at the property to allow er sanitarian at the home a key can be dropp am. Please allow 5 working days for respectively.	nouse for all inspections and will ntry. If the home is vacant and a ped off by our office on the day o	need to meet the a person is not a	e homeowner, ble to meet the	
Current Owner / Agent		Date		

This evaluation is not a guarantee and applies only to conditions noted on the above date of inspection. Our examination is limited to those items that can be observed under the prevailing weather and surface conditions on the above date of inspection, and not by the factors that cannot be observed upon inspection.